UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/546,624	11/01/2005	Manfred Walter	DNAG-308	4401
	7590 03/12/201 & JAWORSKI, LLP	0	EXAMINER	
666 FIFTH AV	E		SCHIRO, RYAN RAYMOND	
NEW YORK, NY 10103-3198			ART UNIT	PAPER NUMBER
			1792	
			MAIL DATE	DELIVERY MODE
			03/12/2010	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)			
Office Action Commence	10/546,624	WALTER ET AL.			
Office Action Summary	Examiner	Art Unit			
	RYAN SCHIRO	1792			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 16(a). In no event, however, may a reply be tim ill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONEI	l. ely filed the mailing date of this communication. O (35 U.S.C. § 133).			
Status					
<i>'</i>	action is non-final.				
·— · · ·					
closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims					
4) ☐ Claim(s) 87-116 is/are pending in the application 4a) Of the above claim(s) is/are withdraw 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 87-116 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or	vn from consideration.				
Application Papers					
9) The specification is objected to by the Examiner 10) The drawing(s) filed on is/are: a) access applicant may not request that any objection to the confidence of the	epted or b) objected to by the Edrawing(s) be held in abeyance. See on is required if the drawing(s) is obj	ected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08)	4)	te			
Paper No(s)/Mail Date 6) Other:					

Application/Control Number: 10/546,624 Page 2

Art Unit: 1792

DETAILED ACTION

Claims 87 and 111 have been amended in the response dated December 17, 2009. Claims 87-116 are pending and presented for examination.

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on November 4, 2009 has been entered.

Claim Rejections - 35 USC § 112

- 1. The following is a quotation of the second paragraph of 35 U.S.C. 112:

 The specification shall conclude with one or more claims particularly pointing out and distinctly claiming.
 - The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 2. Claims 95, 96 and 98 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.
- 3. Claims 95, 96 and 98, which are dependent on claim 87, refer to an "organic film former". Claim 87 nor any of the other claims mentions an "organic film former".

Claim Rejections - 35 USC § 103

- 4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are

Application/Control Number: 10/546,624 Page 3

Art Unit: 1792

such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

- 5. The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:
 - 1. Determining the scope and contents of the prior art.
 - 2. Ascertaining the differences between the prior art and the claims at issue.
 - 3. Resolving the level of ordinary skill in the pertinent art.
 - 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

- 6. Claims 87-116 are rejected under 35 U.S.C. 103(a) as being unpatentable over Li et al. (US 2001/0031811) in view of Jung et al. (US 6875479) further in view of Jacob (US (5053081).
- 7. Li teaches a durable coating consisting of a silane monomer mixture, water-soluble organic polymer, surfactant, aliphatic alcohol, acid and water, as required by claim 87 and 111 (abstract). The coating composition may also contain fluorinated silane(s), as required by claim 87 and 111 (abstract). A hydrolyzable silane essentially free of flourine taught by Li is preferably glycidoxyalkylalkoxysilane, as required by claim 88 and 89 (0020). Li also teaches that one of

Application/Control Number: 10/546,624

Art Unit: 1792

Page 4

the silane monomers is preferably the specific composition gamma-glyciloxy-propyltrimethoxysilane, as required by claim 90 (0022). The fluorine-containing silane may be a trifluoroacetoxypropyl tri(C1-C2)alkoxysilane, as required by claims 91 and 92 (0025). Li teaches the use of a surfactant as a component in the coating composition, as required by claim 94 (0030). Water soluble polymers that may be used for the synthetic resin mixture include polyvinyls, polyacrylates, and , particularly, polyvinyl pyrrolidones, as required by claims 95 and 96 (0028-0029). Li teaches a binding amount of said water-soluble polymer, which is about 1 to 8 weight percent, as required by the limitations of claims 87, 98 and 111 (0027). The total silane content of the composition is preferably 20-45 weight percent and the flourinated silane content is preferably 1 -10 weight percent of the total composition, as required by claims 87, 99, 100 and 111 (0020, 0025). Li teaches cleaning the substrate surface, applying the coating using conventional methods such as spray coating, rolling, dipping, and flow coating, and finally drying and curing the film, as required by claims 87, 105, and 108 (0038-0040).

- 8. Li does not teach that the substrate is metal, the coating composition is free of chromate compounds, the thickness of the film formed, including inorganic particles, including lubricant, including a defoamer, coating material on top of the formed film, an amine of a specific compositon for stabilizing the solution or a polymer containing a phosphorous vinyl compound, as required by claims 87, 93, 94, 102-104, 106, 109, 110, 115 and 116.
- 9. Jung is drawn to a method for coating a metal surface with an aqueous composition and an aqueous composition characterized in that the composition contains water, an organic film former, inorganic particles having an average particle diameter from 0.005-0.3 micrometers, a corrosion inhibitor, and optionally at least one silane, as required by claims 87, 94 and 111

Art Unit: 1792

(abstract). The finished layer thickness is from 0.01-10 micrometers, as required by claim 87 and 111 (abstract). Also, the aqueous composition may be largely or entirely free from chromium (VI) compounds, as required by claim 87 (col. 2, lines 43-44). The silane can be: a bisaminosilane with at least one alkoxysilane, a vinylsilane, an amino alkyl silane, or the like, as required by claims 87, 93 and 111 (col. 6, lines 27-51). The acid groups of the synthetic resin are stabilized with ammonia, amines or an alkali metal compound, as required by claim 97 (col. 7-8, lines 66-3). The amine used to stabilize the acid groups of the synthetic resin may be morpholine, dimethylethanolamine, diethylehtanolamine or triethylanolamine, as required by claim 116 (col. 8, lines 1-3). An inorganic compound in particle form as a finely divided powder, a dispersion or a suspension, such as carbonate, oxide, silicate or sulfate is added as colloidal or amorphous particles based on at least one compound of aluminum, barium, cerium, calcium, lanthanum, silicon, titanium, yttrium, zinc and/or zirconium, as required by claims 102 and 103 (col. 6, lines 60-67). The wax required by Jung can be a paraffin, polyethylene and polypropylene, in particular an oxidised wax, the amount of waxes in the composition being preferably in the range of 2-30 weight percent, as required by claim 104 (col. 7, lines 33-51). The coating composition may also contain at least one biocide, a defoaming agent and/or a wetting agent, as required by claim 106 (col. 9, lines 35-37). The coated metal surface of Jung may be dried at a temperature within the range from 20-400 degrees Celsius, as required by claim 107 (col. 10, lines 7-8). Onto the partially or entirely dried or cured film in each instance at least one coating consisting of lacquer, polymer, adhesive film, or the like is applied, as required by claim 109 (col. 10, lines 46-52). Metal strips or strip sections may be formed, painted and coated with polymers such as PVC for example, printed on, pasted over, sweated, welded and/or connected

Application/Control Number: 10/546,624

Art Unit: 1792

to one another or with other elements by clinching or other joining techniques, as required by claim 110 (col. 10, lines 53-58). The part having a metallic surface coated with the aqueous composition may be a wire, a wire winding, a wire netting, a steel strip, etc., as required by claim 112 (col. 11, lines 20-32). The coating is suitable for applying after a preceding coating which is applied for corrosion protection, as required by claims 113 and 114 (col. 13, lines 14-21). The organic film forming agent may contain synthetic resin and/or polymer based on epoxide, phenol, polyacrylate, polyvinyl alcohol, polyurethane, etc. and in particular copolymers with a

phosphorous-containing vinyl compound, as required by claims 96 and 115 (col. 5, lines 10-22).

Page 6

- 10. Neither Li nor Jung teach including a metal chelate in the coating composition, as required by claims 87, 101 and 111.
- 11. Jacob teaches a final rinse composition for enhancing the coating adhesion and corrosion resistance properties of coated metal surfaces, comprising an aqueous solution of an organosilane and a titanium chelate, as required by claims 97 and 111 (abstract). It is an object of Jacob to be a chromium-free solution (col. 3, lines 41-42). The titanium chelate species includes a complex with an acetylacetonate ligand attached, as required by claim 101 (col. 4, lines 42-44).
- 12. It would have been obvious to a person ordinarily skilled in the art at the time of the invention to combine the composition containing a mixture of fluorinated and fluorine-free silanes for plastic substrates as taught by Li, with the silane coating composition of Jung specifically formulated for metal substrates. Jacob teaches that organofunctional silanes may be used as adhesion promoters to enhance the bonding polymeric coatings to metal, glass, or polymeric surfaces (col. 1, lines 57-63). Therefore, it would have been obvious to use the composition of Li on a metal substrate or with another similar composition that is formulated for

Art Unit: 1792

metal substrates. One would have been motivated to combine the teachings of Li and Jung because the high reactivity of the flouro groups used in Li would be useful in the teaching of Jung to obtain a coating that would better adhere to the substrate and subsequent coating layers.

13. It would have been obvious to a person ordinarily skilled in the art at the time of the invention to combine the use of a metal chelate in the silane coating composition, as taught by Jacob, with the teachings of a flourinated silane containing composition that is specifically formulated for metal surfaces, as taught by Li in view of Jung, as required by claims 87, 101 and 111. One would have been motivated to make this combination because Jacob is drawn to making a composition that contains no chromium yet is comparable to a chromium containing composition, while Jung is drawn to making a composition that contains as little chromium as possible due to environmental concerns.

Conclusion

Claims 87-116 are rejected.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ryan Schiro whose telephone number is 571-270-5345. The examiner can normally be reached on Monday-Friday from 8:30 AM to 6 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Barr can be reached at 571-272-1414. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

Application/Control Number: 10/546,624

Art Unit: 1792

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

Page 8

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Ryan Schiro

Art unit 1792

/Michael Barr/

Supervisory Patent Examiner, Art Unit 1792